

(FILE 'REGISTRY' ENTERED AT 01:14:34 ON 11 FEB 2002)

DEL HIS  
L1 STRUCTURE UPLOADED  
L2 QUE L1  
L3 911 S L2 FUL  
L4 STRUCTURE UPLOADED  
L5 STRUCTURE UPLOADED  
L6 QUE L5  
L7 456 S L6 FUL  
L8 STRUCTURE UPLOADED  
L9 QUE L8  
L10 2 S L9 FUL  
L11 1369 S L3 OR L7 OR L10  
L12 171 S L11 AND (C N S)/RELF

FILE 'REGISTRY' ENTERED AT 02:37:49 ON 11 FEB 2002

L13 1 S 119514-12-4/RN


FILE 'CAPLUS, USPATFULL, CAOLD' ENTERED AT 02:41:10 ON 11 FEB 2002

L14 51 S L12  
L15 46 DUP REM L14 (5 DUPLICATES REMOVED)

=> d 12

L2 HAS NO ANSWERS

L1 STR



G1 CH,C,S,N

G2 C,S,N


Structure attributes must be viewed using STN Express query preparation.

L2 QUE L1

=> d 16


L6 HAS NO ANSWERS

L5 STR



G1 CH,C,S,N

G2 C,S,N



G1 CH,C,S,N

G2 C,S,N

Structure attributes must be viewed using STN Express query preparation.

L6 QUE L5

=> s 19

SUBSTANCE QUERIES NOT VALID IN THIS FILE

SUBSTANCE QUERIES NOT VALID IN THIS FILE


SUBSTANCE QUERIES NOT VALID IN THIS FILE

The logic expression entered contains L#s or saved query names which correspond to structures built by the STRUCTURE command or to screen sets. These must be searched in a substance file such as the REGISTRY file. In some files you may use a Registry Number answer set from a structure search as a search term or profile in some bibliographic file containing Registry Numbers, e.g. the CA file. For an explanation, enter "HELP CROSSOVER" at an arrow prompt (=>).

=> d 19

L9 HAS NO ANSWERS

L8 STR



G1 CH,C,S,N

G2 C,S,N

Structure attributes must be viewed using STN Express query preparation.

L9 QUE L8